



CFS-CTR SERIES
Low Viscosity Primer
Safety Data Sheet

SDS Revision Date: 1/16/2025

1. Product and Company Identification

Product Name	Low Viscosity Primer
Product Codes	Low Viscosity Primer
Manufacturer	Concrete Floor Solutions, Inc.
Street Address	6801 Tilghman Street #113
City, State, Zip	Allentown, PA 18106
Information Phone	610-366-0208
Emergency Phone	610-366-0208
Prepared By	Jason Kehnel
Date Revised	1/16/2025

2. Hazards Identification

Appearance: Clear liquid

Physical State: Liquid

GHS Classification: Acute toxicity - inhalation (dusts/mists) category 4, skin corrosion/irritation category 2, serious eye damage/eye irritation category 2, skin sensitization category 1.



Signal Word: Warning

Hazard Statements:

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Precautionary statements:

Wash face, hands, and any exposed skin thoroughly after handling.

Avoid breathing dust, fumes, gas, mist, vapors, spray.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves, eye protection, face protection.

Use only outdoors or in a well ventilated area.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists, seek medical attention.

If on skin: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs, get medical attention.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center or a doctor/physician if you feel unwell.

Disposal:

Dispose of contents/container in an approved waste disposal plant.

Other Hazards:

Harmful to aquatic life with long lasting effects.

3. Composition/Information on Ingredients

Ingredient	CAS NO.	Weight %
Polymer of epichlorohydrin and bisphenol A	25085-99-8	60-70
Neopentyl glycol diglycidyl ether	17557-23-2	5-10
Benzyl alcohol	100-51-6	1-10
Alkyl (C12-14) glycidyl ether	68609-97-2	1-10

SECTION 3 NOTES: If chemical name/CAS No is “proprietary” and/or weight % is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First Aid Measures

Eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Skin: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs, get medical advice/attention.

Ingestion: Clean mouth with water and drink plenty of water afterwards.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed:

May be harmful if swallowed. May be harmful in contact with skin. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic reaction.

5. Fire Fighting Measures

Extinguishing media water fog, foam, dry chemical powder, CO2

Unsuitable extinguishing media water jet

Specific hazards arising from the chemical: during fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Protective equipment and precautions for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent, and full protective gear.

6. Release Measures

Personal precautions: Clear area. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental practices: See section 12 for additional ecological information.

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for clean up: For containment, ensure adequate ventilation and absorb any spill or inert liquid binding material to dispose of waste safely.

7. Handling and Storage

Precautions to be taken in handling and storage - Avoid breathing dust, fumes, gas, mist, vapors, spray. Use only outdoors or in a well-ventilated area. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Contaminated work clothing must not be allowed out of the workplace.

Other precautions - Store in a cool, dry, and well ventilated place. Keep stores in accordance with local, regional, national, and international regulations. Store away from incompatible materials.

Incompatible materials: Strong oxidizers, strong alkalis, strong mineral acids, amines.

8. Exposure Controls/Personal Protection

Exposure Guidelines: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Controls: Local exhaust ventilation required. Make up air should be supplied to balance air that is removed by local or general exhaust ventilation. Provide sufficient ventilation to keep vapors below permissible exposure limit. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Eye/Face Protection: Use tightly sealed goggles or safety glasses with side shields which are resistant to Chemicals. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin/Body Protection: Wear chemical resistant protection gloves. Wear impervious clothing as necessary to protect against coming in contact with the product. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection: If insufficient ventilation, wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations: Do not eat, drink or smoke during work. Avoid all contact with skin or eye. If clothing comes into contact with material, do not leave the workplace. Clean hands and any exposed skin thoroughly after work and before breaks.

9. Physical and Chemical Properties

Appearance and Odor - Clear liquid, odor not determined

Color - Colorless

pH - N/A

Melting point/freezing point - N/A

Initial boiling point and boiling range - N/A

Flash point - >93 C/200 F

Evaporation rate - not determined

Flammability (solid,gas) - Liquid - not applicable

Upper flammability or explosive limits - N/A

Lower flammability or explosive limits - N/A

Vapor pressure - not determined

Vapor density - N/A

Relative density - 1.14-1.16

Water solubility - partially soluble

Solubility in other solvents - not determined

Partition coefficient - not determined

Autoignition temperature - N/A

Decomposition temperature - not determined

Kinematic viscosity - not determined

Dynamic viscosity - not determined
Explosive properties - not determined
Oxidizing properties - not determined

10. Stability and Reactivity

Reactivity - not reactive under normal conditions
Chemical stability - stable under recommended storage conditions
Possibility of hazardous reactions - this product will polymerize if mixed with an amine.
Considerable heat can evolve.
Conditions to avoid - avoid temperatures exceeding the flash point. Avoid unintended contact with amines.
Incompatible materials - strong oxidizers, strong alkalis, strong mineral acids, amines.
Hazardous decomposition products - none known based on information supplied

11. Toxicological Information

Information on likely routes of exposure
Eye contact - avoid contact with eyes
Skin contact - may be harmful in contact with skin
Inhalation - harmful if inhaled
Ingestion - may be harmful if swallowed

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	1230 mg/kg (rat)	2 g/kg (rabbit)	>4178 mg/m ³ (rat) 4h
Neopentyl glycol diglycidyl ether 17557-23-2	4500 mg/kg (rat)	>2000 mg/kg (rat)	
Alkyl (C12-14) glycidyl ether 68609-97-2	17100 mg/kg (rat)	>3987 mg/kg (rabbit)	

Symptoms related to physical, chemical, and toxicological characteristics

Symptoms - Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long term exposure

Skin corrosion/irritation - Causes skin irritation

Serious eye damage/irritation - Causes serious eye irritation

Sensitization - May cause an allergic skin reaction

Carcinogenicity - Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.

Numerical Measures of Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 - 2442.50 mg/kg

Dermal LD50 - 2351.60 mg/kg
ATEmix (inhalation dust/mist) - 4.18 mg/l

12. Ecological Information

Ecotoxicity - harmful to aquatic life with long lasting effects.

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Benzyl alcohol 100-51-6		LC50: 460 mg/l (96h, pimephales promelas) LC50: 10 mg/l (96h, lepomis macrochirus)	EC50: 23 mg/l (48h, water flea)

Persistence/degradability - not determined

Bioaccumulation - there is no data for this product

Mobility

Benzyl Alcohol 100-51-6: 1.05

Alkyl (C12-14) Glycidyl Ether: 3.77

Other adverse effects - not determined

13. Waste Disposal

Waste Disposal Method: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

14. Transport Information

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT:

UN/ID No	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A-(epichlorohydrin) epoxy resin)
Transport hazard class(es)	9
Packing Group	III
Marine Pollutant	This material ships as a marine pollutant when single container exceeds 119 gal/ 882 lbs.

IATA:

UN number or ID number	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A-(epichlorohydrin) epoxy resin)

Transport hazard class(es) 9
Packing group III
Description This material ships as a marine pollutant when inner packagings exceed 5L/5KG

IMDG:

UN number or ID number UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A-(epichlorohydrin) epoxy resin)
Transport hazard class(es) 9
Packing Group III
Marine Pollutant This material ships as a marine pollutant when inner packagings exceed 5L/5KG

15. Regulatory Information

Chemical name	TSCA	TSCA Inventory Status	DSL/N DSL	EINECS/ ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
Polymer of epichlorohydrin and bisphenol A	X	Active	X			X	X	X	X
Poly (phenyl glycidyl ether) co formaldehyde	X	Active	X		X	X	X	X	X
Alkyl (C12-14) glycidyl ether	X	Active	X	X	X	X	X	X	X
Benzyl alcohol	X	Active	X	X	X	X	X	X	X
Neopentyl glycol diglycidyl ether	X	Active	X	X	X	X	X	X	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	X

16. Other Information

DISCLAIMER: The information Contained herein is based on the data available and is believed to be accurate, However, the manufacturer makes no warranty expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Accordingly, we assume no responsibility for injury from the use of this product.

N/A = Not Available

See Section 1 for date of preparation

1.Product and Company Identification

Product Name	Low Viscosity Primer
Product Codes	Low Viscosity Primer
Manufacturer	Concrete Floor Solutions, Inc.
Street Address	6801 Tilghman Street #113
City, State, Zip	Allentown, PA 18106
Information Phone	610-366-0208
Emergency Phone	610-366-0208
Prepared By	Jason Kehnel
Date Revised	1/16/2025

2.Hazards Identification

Appearance: Clear liquid

Physical State: Liquid

GHS Classification: Acute toxicity - oral category 4, acute toxicity - inhalation (dusts/mists) category 4, skin corrosion/irritation category 1 sub category B, serious eye damage/eye irritation category 1, skin sensitization category 1, reproductive toxicity category 2.



Signal Word: Danger

Hazard Statements:

Harmful if swallowed.

Harmful if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Precautionary statements:

Obtain special instructions before use.

Do not handle it until all safety precautions have been read and understood.

Use personal protective equipment as required.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Do not breathe dust/fume/gas/mist/vapors/spray.
Contaminated work clothing must not be allowed out of the workplace.

Response

Immediately call a poison center or doctor/physician.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

If on skin or hair: Remove/take off all contaminated clothing immediately. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs, get medical advice/attention.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or a doctor/physician immediately.

If swallowed: call a poison center or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting.

Disposal:

Dispose of contents/container in an approved waste disposal plant.

Other Hazards:

Harmful to aquatic life with long lasting effects.

3.Composition/Information on Ingredients

Ingredient	CAS NO.	Weight %
4-nonylphenol, branched	84852-15-3	25-30
Isophorone diamine	2855-13-2	20-25
Polyoxypropylenediamine	9046-10-0	15-20
Benzyl alcohol	100-51-6	5-10
Proprietary component 1	proprietary	15-20

SECTION 3 NOTES: If chemical name/CAS No is “proprietary” and/or weight % is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4.First Aid Measures

Eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Skin: Remove/take off all contaminated clothing immediately. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs, get medical advice/attention.

Ingestion: Call a poison center or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician immediately.

Most important symptoms and effects, both acute and delayed:

May be harmful in contact with skin. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.

5.Fire Fighting Measures

Extinguishing media water fog, foam, dry chemical powder, CO2

Unsuitable extinguishing media water jet

Specific hazards arising from the chemical: during fire, nitrous gases, fumes/smoke, isocyanates, and vapor may be formed.

Protective equipment and precautions for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent, and full protective gear.

6.Release Measures

Personal precautions: Clear area. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental practices: See section 12 for additional ecological information.

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for clean up: For containment, ensure adequate ventilation and absorb any spill or inert liquid binding material to dispose of waste safely.

7.Handling and Storage

Precautions to be taken in handling and storage - Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do

not breathe dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

Other precautions - Store in a cool, dry, and well ventilated place. Keep stores in accordance with local, regional, national, and international regulations. Store away from incompatible materials.

Incompatible materials: Strong oxidizing agents and acids.

8.Exposure Controls/Personal Protection

Exposure Guidelines: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Controls: Local exhaust ventilation required. Make up air should be supplied to balance air that is removed by local or general exhaust ventilation. Provide sufficient ventilation to keep vapors below permissible exposure limit. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Eye/Face Protection: Use tightly sealed goggles or safety glasses with side shields which are resistant to Chemicals. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin/Body Protection: Wear chemical resistant protection gloves. Wear impervious clothing as necessary to protect against coming in contact with the product. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection: If insufficient ventilation, wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations: Do not eat, drink or smoke during work. Avoid all contact with skin or eye. If clothing comes into contact with material, do not leave the workplace. Clean hands and any exposed skin thoroughly after work and before breaks.

9.Physical and Chemical Properties

Appearance and Odor - Clear liquid, odor not determined

Color - Colorless

pH - N/A

Melting point/freezing point - N/A

Initial boiling point and boiling range - N/A

Flash point - >93 C/ >200 F

Evaporation rate - not determined

Flammability (solid,gas) - Liquid - not applicable

Upper flammability or explosive limits - N/A

Lower flammability or explosive limits - N/A

Vapor pressure - not determined
Vapor density - N/A
Relative density - 0.9-1.0
Water solubility - partially soluble
Solubility in other solvents - not determined
Partition coefficient - not determined
Autoignition temperature - N/A
Decomposition temperature - not determined
Kinematic viscosity - not determined
Dynamic viscosity - not determined
Explosive properties - not determined
Oxidizing properties - not determined

10. Stability and Reactivity

Reactivity - not reactive under normal conditions
Chemical stability - stable under recommended storage conditions
Possibility of hazardous reactions - this product will polymerize if mixed with an epoxy resin.
Considerable heat can evolve.
Conditions to avoid - avoid temperatures exceeding the flash point. Epoxy resins under uncontrolled conditions.
Incompatible materials - strong oxidizing agents and acids
Hazardous decomposition products - none known based on information supplied

11. Toxicological Information

Information on likely routes of exposure
Eye contact - avoid contact with eyes
Skin contact - may be harmful in contact with skin
Inhalation - harmful if inhaled
Ingestion - harmful if swallowed

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Polyoxypropylenediamine 9046-10-0	1100 mg/kg (rat)	1555 mg/kg (rabbit)	>0.74 mg/l (rat) 8h
4-nonylphenol, branched 84852-15-3	1300 mg/kg (rat)	2000 mg/kg (rabbit)	
Isophorone diamine 2855-13-2	1030 mg/kg (rat)	>2000 mg/kg (rat)	>5.01 mg/l (rat) 4h 1.07-5.01 mg/l (rat) 4h
Benzyl alcohol 100-51-6	1230 mg/kg (rat)	2 g/kg (rabbit)	>4178 mg/m3 (rat) 4h

Proprietary component 1	11300 mg/kg (rat)	20000 mg/kg (rabbit)	
-------------------------	-------------------	----------------------	--

Symptoms related to physical, chemical, and toxicological characteristics

Symptoms - Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long term exposure

Skin corrosion/irritation - Causes severe skin burns.

Serious eye damage/irritation - Causes severe eye damage.

Sensitization - May cause an allergic skin reaction.

Carcinogenicity - Group 3 IARC components are “not classifiable as human carcinogens”

Suspected of damaging fertility or the unborn child.

Numerical Measures of Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 - 557 mg/kg

Dermal LD50 - 2007.60 mg/kg

ATEmix (inhalation dust/mist) - >1 mg/l

12. Ecological Information

Ecotoxicity - very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Benzyl alcohol 100-51-6		LC50: 460 mg/l (96h, pimephales promelas) LC50: 10 mg/l (96h, lepomis macrochirus)	EC50: 23 mg/l (48h, water flea)
4-nonylphenol, branched 84852-15-3	EC50: 0.36 - 0.48mg/L (96h, Pseudokirchneriella subcapitata) EC50: 0.16 - 0.72mg/L (72h, Pseudokirchneriella subcapitata) EC50: =1.3mg/L (72h, Desmodesmus subspicatus)	LC50: =0.135mg/L (96h, Pimephales promelas) LC50: =0.1351mg/L (96h, Lepomis macrochirus)	EC50: =0.14mg/L (48h, Daphnia magna)
Isophorone diamine 2855-13-2	EC50: =37mg/L (72h, Desmodesmus subspicatus)		EC50: =23mg/L (48h, water flea)

Persistence/degradability - not determined

Bioaccumulation - there is no data for this product

Mobility

Benzyl Alcohol 100-51-6: 1.05

4-nonylphenol, branched 84852-15-3: 5.4

Isophorone diamine 2855-13-2: 0.99

Proprietary component 1: 2.33

Other adverse effects - not determined

13. Waste Disposal

Waste Disposal Method: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

14. Transport Information

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT:

UN/ID No	UN3267
Proper Shipping Name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, 4-nonylphenol, branched)
Transport hazard class(es)	8
Packing Group	III
UN/ID No	UN3267

IATA:

UN number or ID number	UN3267
Proper Shipping Name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, 4-nonylphenol, branched)
Transport hazard class(es)	8
Packing group	III
UN number or ID number	UN3267

IMDG:

UN number or ID number	UN3267
Proper Shipping Name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, 4-nonylphenol, branched)
Transport hazard class(es)	8
Packing Group	III

Marine Pollutant

This material may meet the definition of a marine pollutant

15. Regulatory Information

Chemical name	TSCA	TSCA Inventory Status	DSL/N DSL	EINECS/ ELINCS	ENCS	IECSC	KECL	PICCS	AHC
Polyoxypropylenediamine	X	Active	X		X	X	X	X	X
4-Nonylphenol, branched	X	Active	X	X	X	X	X	X	X
Isophorone diamine	X	Active	X	X	X	X	X	X	X
Proprietary component 1	X	Active	X	X	X	X	X	X	X
Benzyl alcohol	X	Active	X	X	X	X	X	X	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	X
Isophorone diamine 2855-13-2	X		

16. Other Information

DISCLAIMER: The information Contained herein is based on the data available and is believed to be accurate, However, the manufacturer makes no warranty expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Accordingly, we assume no responsibility for injury from the use of this product.

N/A = Not Available

See Section 1 for date of preparation

End of Document